

## LA-UR-21-24623

Approved for public release; distribution is unlimited.

Title: Characterization of foils rolled for TUM: One

Author(s): Tegtmeier, Eric Lee  
Luther, Erik Paul

Intended for: Report

Issued: 2021-05-13

---

**Disclaimer:**

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by Triad National Security, LLC for the National Nuclear Security Administration of U.S. Department of Energy under contract 89233218CNA000001. By approving this article, the publisher recognizes that the U.S. Government retains nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S. Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Characterization of foils rolled for TUM: One  
5/12/21

Eric Tegtmeier  
Erik Luther

FOIL ID: 3K32-N8-XL8V-F1

	Meas	Spec
Length (inch)	30.02"	30.000 +/- 0.062
Width (left)	1.771"	1.772 +/- 0.010
Width (middle)	1.753"	1.772 +/- 0.010
Width (right)	1.751"	1.772 +/- 0.010
burs (right)	none	
burs (left)	none	


Thickness measurements (thousandths of inch) Spec = 0.0170 +/- 0.0025

Distance from corner	0"	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"
0	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5
0.85	20.5	20	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5
1.7	19.5	19.5	20	20	20	19.5	19.5	20	20	20	20	20	20	20	20	20

Visual Inspection


Side 1

All features are considered superficial unless indicated with \*




- 1 discoloration/stain
- 2 small surface scuffs
- 3 scratch

Side 2



- 1 stains
- 2 dark gray scuff mark or tiny scratches

# 3K32-N8-XL8V-F1 Macros



FOIL ID: 3K32-N8-XL8V-F2

	Meas	Spec
Length (inch)	30.048	30.000 +/- 0.062
Width (left)	1.775"	1.772 +/- 0.010
Width (middle)	1.754"	1.772 +/- 0.010
Width (right)	1.758"	1.772 +/- 0.010
burs (right)	none	
burs (left)	none	


Thickness measurements (thousandths of inch). *Spec = 0.0170 +/- 0.0025*

Distance from corner	0"	2"	4"	6"	8"	10"	12"	14"	16"	18"	20"	22"	24"	26"	28"	30"
0	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5	20.5
0.85	20.5	20.5	20.5	20.5	20.5	21	20.5	20.5	20.5	21	21	21	21	21	21	20.5
1.7	20.5	20.5	21	21	21	21	20.5	21	21	21	21	20.5	20.5	20.5	21	21

Visual Inspection


Side 1

All features are considered superficial unless indicated with \*



- 1 discoloration/stain
- 2 small surface scuffs
- 3 scratch

Side 2



- 1 stains
- 2 dark gray scuff mark
- 3 scratch
- 4 shiny area around more oxidized grains (SCC?)
- 5 Shiny area w/grain shape. Less oxidized?

# 3K32-N8-XL8V-F2 Macros

